# Aucton Gatalog

## Complete Liquidation of Concept Industries, Inc.

**Grand Rapids, MI** 

Tuesday, March 29, 2016 - 10:00 AM



THANK YOU FOR ATTENDING THE AUCTION TODAY!





601 Gordon Industrial Court Byron Center MI 49315 1-800-527-8243 Fax: (616) 538-5230

www.1800lastbid.com

## Complete Liquidation of Concept Industries, Inc. **AUCTION CATALOG**

**Tuesday, March 29, 2016 10AM** 

### AUCTIONEERS/RINGMEN/CLERKS

Scott Miedema Jordan Miedema John Sharpe Ken Planet Kurt Mingerink **OFFICE PERSONNEL** 

Shari Dommisse Eunice Yonker Joyce Weaver

### \*\*\* GENERAL INFORMATION \*\*\*

### TERMS (also see bidder's card)

The highest bidder whose bid is accepted by the Auctioneers shall be the Purchaser and no Purchaser shall retract his bid. Complete payment MUST be made Auction day. Personal or company checks must have a bank letter of guarantee, guaranteeing payment to Miedema Auctioneering Inc for Complete Liquidation of Concept Industries, Inc., Tuesday, March 29, 2016 by (your name or your company name) and must state the amount of funds being guaranteed from a specific account number. Checks from our usual buyers accepted at the Auction Company's discretion. Thumbprints will be required on all checks. No items may be removed until paid for in full. The auction is being recorded.

ALL ITEMS SELL "AS IS - WHERE IS". THERE SHALL BE NO GUARANTEES OR WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE AS TO THE MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF ANY GOODS OFFERED IN THIS SALE. ALL SALES MADE ON AN "AS IS - WHERE IS" BASIS WITH ALL FAULTS.

- \*\*\* PLEASE NOTE \*\*\*Please inspect all items before bidding. You will for no reason be allowed to retract your high bid. NO EXCEPTIONS.
- \*\*\* PLEASE NOTE \*\*\*If for any reason whatsoever, the Auctioneers fail to deliver clear title or possession on an awarded lot, the Auctioneers' sole liability shall be the return of any monies paid on such non-delivered lot, and the purchaser shall have no further claim.

Complete payment must be made by cash, cashier's check, wire transfer, Visa, Mastercard, American Express, Discover (Credit Card only if invoice amount is less than \$2,000.00), or check with bank letter of guarantee.

### **SALES TAX:**

All items will be charged 6% Michigan State Sales Tax, unless you supply a valid sales tax exempt form.

All purchases of titled vehicles will also be charged a 6% Michigan State Sales Tax. For exemption from sales tax you will be required to fill out a tax exemption form with a valid dealer's resale #. (NO EXCEPTIONS)

### SECURITY/RELEASE SLIP

A copy of the invoice showing payment in full on your purchases will be required before any items will be allowed to be removed from the Auction premises. This slip will be given to you by the office personnel once you pay your invoice in full.

### REMOVAL TIMES \*\*\* PLEASE NOTE \*\*\*

Auction day or make other arrangements. Small forklift for light duty loading auction day till April 1 at 3:00 pm.

### LIABILITY

Every person at the Auction site before, during and after the Auction sale shall be deemed to be there at his/her own risk. No person shall have any claim against the Auctioneers, or sellers, their agents, employees or principals for any injuries sustained no for damages to or loss of property which may occur from any cause whatsoever.

### **CATALOG INFORMATION**

All information given during the Auction and listed in the Auction catalog was received from reliable sources and is assumed to be correct; however, the Auction Company and the owners do not guarantee the accuracy or genuineness of the information and are not responsible for any misprints or misinformation in the Auction catalog or as stated during the Auction. Please inspect all items before bidding. Any statements made the day of the Auction take precedence over all printed material. Please review back of bidder's card.

BUYERS PREMIUM: A 16% Buyer's Premium will be added to purchases.

\*\*Also please note: Bid Spotter Buyer's Premium will be 16%\*\*

\*\*\*\*PLEASE VISIT OUR WEBSITE AT 1800LASTBID.COM\*\*\*\*

### ONLINE AT WWW.1800LASTBID.COM

Lot Num		Qty.	Description	Lot Num	Qty.	Description
34		. 1	State model D24 sander, 24ö diameter, 230 volt/440 volt, 3 phase, 2 hp electric motor	52		1 Jet 1100 CFM dust collector, 1 + HP, 150/230 volt electric motor, model DC1100A, portable
35		. 1	W.F. Wells and Sons Inc heavy duty horizontal band saw, model L-9,	53		1 Tennsmith Shear model T52, 16 gauge capacity, mild steel, S/N: 1668
36		. 1	208/460, 3 Phase Lincoln Electric Square wave tig 275 with Lincoln Electric Magnum system	54 55		<ul><li>1 Tennsmith model U4816 16 gauge capacity steel bender</li><li>1 Powermatic model 66 table saw</li></ul>
			monitor, includes gauges, welding rod foot pedal control, no tank included , S/N: 10605-U1001232513			1 (4) pull out drawer parts bins, with assorted flat head screws, wood screws, cap screws, metal screws,
37		. 1	Miller Matic 250 wire welder, 208/460/575 volt, single phase, does not include tank, includes gun, gauges, and welding jacket	57		and more  1 (3) bolts bins, assorted screws, nuts, bolts, heavy duty allen bolts, machine screws, and more
39			Miller model WT-2530 resistant spot welding machine, 230 volt	58		<ol> <li>(6) assorted bolt bins with stand, filled with assorted screws, nuts, anchors,</li> </ol>
40		_ 1	Lincoln Electric AC-225 arc welder, 230 volt, includes some welding rod, mounted on portable cart	59		machine screws, and washers  1 5,000 lb capacity hydraulic pallet jack with 48" forks
41		_ 1	Torch tank cart, includes hose, torch head, gauges, with Glide Maxx 500 lb	60		1 5,000 ib capacity hydraulic pallet jack with 48" forks
42	<u> </u>	_ 1	capacity tank dolly Milwaulkee heavy duty 14" abrasive cut off saw with stand	61 63		<ol> <li>Pallet Mule 5000 lb capacity pallet jack with 48" forks</li> <li>Dayton 36" mobile air circulator fan</li> </ol>
43		_ 1	Milwaulkee heavy duty 14" abrasive cut off saw, 120 volt, with stand	64	<del></del>	and (4) Dayton wall mount fans  1 Maxx Air high velocity 40" shop fan
44		_ 1	Cutler Hammer dry type distribution transformer, 3 phase transformer, ste down 480 primary, 240 delta			and 40" Autumaire shop fan  1 Autumaire 40" shop fan, Marly 40" shop fan  1 (2) Mayere 20" pedestel shop yan
45	<del> </del>	1	secondary, portable, with cart  Doerr 24" disc sander, 2 hp, 208/220, 3 phase electric motor	66 67		<ul><li>1 (2) Maxess 30" pedestal shop van,</li><li>120 volt</li><li>1 (4) assorted pedestal fans, TPI and</li></ul>
46		_ 1	Delta 12" disc sander, 1 hp, 220/440			Maxess Brands
			volt 3 phase electric motor, and heavy duty industrial ball bearing grinder, model GP-6R, + hp, 120 volt	68 69 70		<ul><li>1 (4) Dayton pedestal fans, 120 volt</li><li>1 (3) fiberglass 6' step ladders</li><li>1 (2) fiberglass 8' stepladders</li></ul>
47		- ´	Rockwell heavy duty pedestal grinder dual voltage, single phase, model 43802614, 7"			<ol> <li>(2) Husky 8' fiberglass step ladders</li> <li>Werner 12' fiberglass step ladder and Warner 24' fiberglass extension ladder</li> </ol>
48		- ′	1 (2) metal banding carts, includes hand tools	73 74		<ul><li>1 Enco manual arbor press</li><li>1 Jet rotary machine, model RM-22N,</li></ul>
49			1 (2) metal banding carts, includes hand tools	75	••••	16 gauge capacity 1 Lesson 50 hp 230/460 3 phase
50		_	1 CAE Alpaheus Inc CO2 mini blast machine, model SDI-5, includes manual, and hoses, S/N: 71055C679	76		electric motor  1 Baldor 25 hp 230/460 3 phase electric motor
51		_	1 Atlas model 912 saw, and Delta scro- saw CAT # 406011, 120 volt		·····	1 (2) Toshiba induction motors, 25 hp, 230/460, 3 phase

Lot Num		Qty.	Description	Lot Num	Qty.	Description
78		1	Toshiba induction motor, 20 hp, 230/460, 3 phase	94		1 (2) skids of assorted motors, brands Baldor and Lenze, gear reducers, and
79		1	Reliance Electric energy efficient extra tough 15 hp 460 volt 3 phase electric motor	95		more 1 (3) skids of various motors, gear drives, and more, 1 hp to 5 hp, some
80		. 1	Toshiba high efficiency induction motor, 40 hp, 230/460, 3 phase	96	***************************************	appear to be new 1 (17) assorted electric motors, from 1
81		. 1	Reliance Electric premium efficient electric motor, 30 hp, 230/460, 3 phase	97		hp up to 3 hp, some appear to be new 1 (2) skids of assorted motors, up to 5 hp, includes assorted other machine
82		. 1	(6) assorted electric motors, includes (2) 15 hp, 20 hp, (2) 5 hp, AC server	98		parts 1 (3) skids of assorted gear boxes,
83		. 1	(9) assorted motors includes 2 hp, 1 1/2 hp, (2) 3 hp, 2 Siemens motors,			electric motors, machine parts, castors, and more
84		. 1	7.5 hp, and more (3) assorted gear drives with motors, includes Lenze, Nord gear reducuer, and unknown brand	99 100		<ol> <li>(4) skids of assorted items, includes electric motors, gear drives, trash pumps, rivets, controllers, and more</li> <li>Contents of (4) shelving units,</li> </ol>
85	-	. 1		100		includes assorted parts, pulleys, chain, screws, nuts, bolts, gaskets, crimpers, air compressor parts, couplings,
86		_ 1	Reliance Electric 2 hp 460 3 phase electric motor, Stober gear motor, 1750 RPM, mounted on heavy duty steel frame			connectors, clamps, communication wires, load cells, Assorted Allen Bradley Electrical Components; Seals & Bearings - Dodge, SealMaster, SKF,
87		_ 1		100A	<del></del>	IPTCI, and much more 1 (2) Boxes of Temmco ceramic heaters
88		_ 1	(7) assorted motors includes (4) 7.5 horse motors and (3) unknown electric motors	101 c 102		<ul><li>1 Assorted bulbs, communication wire, parts, fitting hoses, computer, racking</li><li>1 (2) 2-door storage cabinets, includes</li></ul>
89		- ′	<ul><li>Toshiba 3 phase induction motor, 5</li><li>hp, 230/460, 3 phase, vacuum pump,</li></ul>			contents - tape, gloves, glue sticks, ear plugs, safety glasses, and more
90		_ ′	mounted to stand  1 (5) assorted electric motors, includes	103 104		1 (2) flammable cabinets, 43"x18"x45" 1 (2) Just Rite flammable liquid storage
			(1) 30 hp 230/460 3 phase, (1) 15 hp electric motor, (1) 7.5 hp electric motor, (1) 1.5 hp motor, (1) 5 hp electric motor, with US series 2000 gear reducer, ratio 140 output torque	105		cabinets, 43"x18"x65"  1 (2) skids of assorted items, includes panel views, parts, fuses, Two (2)  Allen Bradley Panelview 550  Terminals, and more
91		_ ,	22689  1 (8) assorted motors, includes (2) 1 hp power motors, 1.5 hp motor, 3 hp motor, unknown sized motor, Lenze	106		1 (3) skids of assorted items, includes electronics, blower, filters, time clocks, caster, Allen Bradley and coder modules, and more
92		<del></del>	motor with gear drive  1 Assorted motors, includes assorted hp and sizes, gear drives, and more,	107 108		<ul><li>1 Skid of THHN wire</li><li>1 (2) skids of THHN wire, some partial and some full spools</li></ul>
93		****	conditions unknown 1 (18) assorted electric motors, assorted hp			

Lot Num	Qt	y. Description	Lot Num	Qty.	Description
109		1 2-door metal storage cabinet, fill- with assorted electrical items, couplings, sealed type connecto rings, clamps, boxes, and more, cabinet measures 48"x24"x71"	rs, lot	1	8' x 4' steel table with half inch solid steel top, includes mounted bench vice, assorted contents, 2-door flammable storage cabinet, skid of Quick Crete redi-mix, shelf unit with
110		1 2-door metal storage cabinet, fill with assorted fuses, wire nuts, p and more, cabinet measures 48"x24"x71"		1	assorted contents, (2) metal frame wood side and top desks  Rockwell radial arm saw and Milwaukee abrasive chop saw,
111		1 2-door storage cabinet filled with assorted items, includes painting items, sanding disc, hand tools, retaining rings, Miller welder par bits, and more	g 123		includes tables Contents of room, includes (6) metal shelf units with assorted items, includes bearings, pneumatic controls, nuts, bolts, pulleys, sprockets, 55
112		1 (2) steel A-frame stands with as sized sprockets	sorted		gallon drum cart, and dolly, electric parts, push buttons, and much more
113		<ol> <li>(4) parts bins with assorted connectors, couplings, pipes, ur caps, and more</li> </ol>			1 Peterson table saw, 3hp, 230/460, 3 phase, 10" with manual cut, table measures 128" x 8', also includes
114		<ol> <li>Large lot of assorted belts, inclu</li> <li>metal racks with assorted co</li> <li>hose reels, large belts, and mor</li> </ol>	ntents,		heavy duty 4-tier steel rack with assorted wood and plastic contents, rack measures 8'x75"x56"
115		1 Clausing machine lathe model straightful variable speed control, 230 volt 5914, 10" swing, 48" centers, 3-	, model -jaw		Dayton Fliptop job box, Eagle 2-door flammable storage cabinet, rolling parts rack, hand tool stand
116		chuck, tail stock, S/N: 503534  1 Ponar Wroclaw Polamco Engin Lathe; Serial Number 42657; Si Approx. 24", Centers Approx. 1 Hole Through Spindle Approx.	wing 0'6",		1 (4) tables with assorted contents of harnesses, testing equipment, clamps, fuses, includes (3) retractable air hoses, and (2) wall mount fans, buyer responsible for removal
		3-Jaw Chuck, Steady Rest, Cro Slide, Tail Stock, 15 KW Motor Speeds 28-1400, Inch & Metric 42657	,		1 Large lot of assorted scrap, rack, rollers, EMT, PVC, aluminum, steel, and more, second part of lot is located by table saw
117	<u></u>	1 2-door storage cabinet with ass contents, includes assorted too blades, sockets, connectors,	ls, saw		Assorted steel, square stock, eye beams, unistrut, aluminum, racks, sheet steel, and much more
118		bushings, and more 1 2-door storage cabinet with ass	129 sorted	<u> </u>	Rack with assorted scrap steel, round stock, aluminum round stock, sheet,
119		tooling 1 2-door metal storage cabinet w	ith 130		and much more  1 PMI automated gas, Permeameter
120		assorted contents  1 (4) metal shelf units with assortitems, crimpers, hand tools, eleparts, table saw, chain hoist, te casters, fish tapes, rolling cart, cabinets, and more	ectrical ester		model GP-1100-A, S/N: 1002  Instron model 3366 Tensil tester, 2008, platform 15 3/4 x 15 3/4, 2 jaws with max load 30 kn, temp range 70 degrees C to 250 degrees C, static rating, static load cell, plus/minus 500n, S/N: 5937, includes Dell tower and Blue Hill software, S/N: 3366Q8776

Lot Num	 Qty.	Description	Lot Num	Qty.	Description
132	 1	Dynisco polymer tester model D4004, 115 volt, S/N: 201AJH4685	143		<ol> <li>Assorted items, includes Kitchen Aid dishwasher, cabinetry, scrap metal,</li> </ol>
133	1	McBeth model The Judge II light spectical cabinet, 20.8 hours showing			parts bins, PVC fittings, roller, fabrics, and more
134	 1	Instron Dynatup model POE2000 pendulum tester, system ID P2000Q9560, 18.4 foot per pound max. capacity	144 144A		<ul> <li>1 Assorted items, Atlas uniform roll cutter, hand tool, thumper, steel frame table with wood top,</li> <li>1 Engelhard Enviro Test Chamber #15</li> </ul>
135	 1	Gustin-Bacon Measure Matic thickness tester			Tower Heater/Cabinet Heater, S/N 15A-043, Chamber 30" F-B x 22" L-R
135A	 1	Gustin-Bacon Measure Matic thickness tester			x 36" D; Volts 110/PH 1;Hz 60, Amp. 27
135B	 1	Ohaus SD series scale, model AD35, 77 lb max, includes Adam 12 lb max digital scale	145		Rolling 2-door storage cabinet,     assorted contents, includes tooling,     copper, tape, bar clamps, and more
135C	 1	Lot of assorted items, includes Ames thickness tester, RAM style manual press, and assorted weights	146		Assorted items, includes steel table with wood top, aluminum scrap, file cabinets, rolling steel table, hand
135D	 1	Ohaus Digital scale, Ryobi cordless drill and batteries, Rowenta fabric steamer	147		tools, and more  1 Assorted items, includes file cabinets, assorted fabrics, and more
135E	 1	Assorted testing equipment, includes power amplifier	148		1 Large lot of assorted items, includes assorted fabrics, 2 rolling carts, 2 door
135F		Gardco gloss meter, Novo-Gloss tester, includes case			storage cabinet, 2 file cabinets, rolls of fabric and more
136	 1	Lem testing fume hood, measures 6' x 33" x 92"	149		1 Tear drop style pallet racking, includes (10) uprights, approx (40)
137		Collins microflat granite table, 8' long, 4' wide, granite is 8" thick, with wood pedestal frame			cross beams (in tool room); Contents Excluded; Racking Sizes 42" D x 11' - 15' H x 8' - 11' W
139	 1	Granite table, 10' long, 5' wide, 10" thick, includes steel frame, mounted inspection light	150	·	<ol> <li>(2) pull out parts bins with assorted fittings, push style fittings, compression fittings, chain links, nuts,</li> </ol>
139D	 1	<ul> <li>Motor with gear drive, pump, light curtains, mirros for light curtains, and</li> </ul>			bolts, includes metal shelf with assorted contents (in building 1)
140	 ,	belts Delta Rockwell drill press model 15-655, 1725 RPM, includes 8" Gem	151		1 Bridgeport vertical mill, 1 hp 3 phase 220 electric motor, includes 7" vise, and assorted tooling
		vise, 3/4 hp 230/460 3 phase electric motor	152	<del>, , , , , , , , , , , , , , , , , , , </del>	1 CAI model DP200F drill press, 3/4", 12 speed, 120 volt
141	 . '	Pedestal grinder with .5 hp 208/440 3 phase electric motor	153		<ol> <li>Torin 20 ton hydraulic H-frame press, manual</li> </ol>
142	 ,	<ol> <li>Assorted items, includes rolling steel frame wood top table with contents, rolling steel frame table with aluminur</li> </ol>	154 n		1 2 bolts bins, includes screws, nuts, washers, bolts, lock washers, and more
		top, and 6" heavy duty vise, 3 tier plastic cart with misc contents, and more	 155		1 Contents of tool room, includes tool box with assorted electronics and tooling, wire, hand tools, bottle jacks, fall protection equipment, roll pins, snap rings, and more

Lot Num		Qty.	Description	Lot Num	Qty.	Description
156		1	Justrite 2-door flammable storage cabinet, steel frame with steel top table, 54"x40", includes 5" mounted bench vise, Delta 6" bench grinder, .5" steel top	169		1 Tannewitz vertical heavy duty band saw model MD36, 440 volt, 3 phase, 19' blade length, 36" x 36" surface area with tilt, no blade included, S/N: 85063
157		1	Sullair model 7509BAC compressor, 125 psi, 454 cfm, 460 volt, 3 phase, 112.9 hp, 6566 hours showing, S/N: 201311260005 (upstairs building 1)	170		1 Powermatic vertical wood band saw model 81, 14' 7" blade, 440 volt, 3 phase, 24" x 24" surface top, S/N: 481075
157A		1	Red Receiver Tank	171		1 Onsrud power router, type 304, 440
158		1	solutions air dryer, 2013, 460 volt			volt, 3 phase, 48" x 36" solid steel top, S/N: 5320
159		1	single phase, 460 volt 3 phase Atlas Copco model GA37 air compressor, 132 psi, 209.3 cfm, 50	172		Wood and plastic shaper, 480 volt, 3     phase, push button motor control,     adjustable table, wood top
			hp, max speed 3600 rpm, includes tank, 46,446 hours showing, S/N:	173		1 4000 lb capacity lift table, 7' long, 48" wide, 120 volt with foot pedal controls
400		4	All373461 Atlas Copco model GA55 air	174		Hydraulic foot lift cart, 24"x4' bed, includes assorted items
160		1	compressor, 130 psi, 3600 rpm, 320 cfm, condition unknown, for parts or	175		1 Twin City fan blower, includes 2 trash pumps with foot pedal control, 3 hp, 460/230, 3 phase, electric motor
161		1	repair  Atlas Copco model GX22 air compressor, 2006 model, 130 psi,	176		1 Dynatec Dynamelt model S1NUGBS4, 240 volt, 3 phase
			3540 rpm, 876 hours showing, S/N: 80033 (in building 2)	178	<u> </u>	1 Ropex Resistron model RES440 heat sealer, 100" bar, 240 volt, 3 phase
162			1 Sullair 7500 variable speed drive air compressor, 2012, model 7509V/A,	179		<ul><li>1 Black Brothers Inc. gluer/laminator,</li><li>480 volt, 3 phase</li><li>1 Schott &amp; Meissner thermal form</li></ul>
			includes tank, 23,077 hours showing, S/N: 201203	180		staging cutter on casters
163	<del></del>		1 Sullair air dryer, model RD-500-460-3-60-A, 460 volt, 3	181		1 Boston electric roller machine, 89" roller bar, 120 volt
			phase, 230 psi, includes tank, 17,114 hours showing			Heat sealer machine, 7' long, 440     volt, 3 phase, condition unknown
164	<u> </u>	=	1 Sullair model GS1650AC vaccum pump, 65,092 hours showing	183		1 (2) heavy duty steel frame and top tables, (1) with Wilton 4" mounted
165		-	1 Joy model 220 air compressor, 125psi, 28,826 hours showing			bench vise, tops are 1 3/4" thick, steel framed, with assorted contents
166		-	1 Hankison compressed air dryer, model 80300, max 200 psig, 460 vol	184 t 3		1 Fox Manufactoring baler model 60, 7.5 hp, 230/460, 3 phase, S/N:891616
			phase, 1 1/2 hp compressor motor, includes tank, S/N: 8508-058	185		1 Turner commercial vaccum former, 600 volt, 30 amp disconnect
167		-	1 Richards Electromatic super die maker, jig, and drill, 42" x 32.5" surface	186		1 Hannifin Inc. model 4C-15AA 15ton press, includes hydraulic power unit, 440 volt, 3 phase
168		_	1 Tannewitz heavy duty band saw, model MD36, blade length of 19', 44 volt, 3 phase, Allen Bradley power fl			1 Coolant Chillers Inc. chiller, model AIR5000, refrigerant type 4070, 460 volt, 3 phase, includes Ramco
			40 controller, 36"x36" surface top, includes blade, S/N: 85064	188		electronic temp control  Hollandsworth card re-wirer

Lot Num		Qty.	Description	Lot Num	Qty. Description
189	<del> </del>	1	Heynau type 511V1M1 card line, 480 volt, 3 phase	205 _	1 Bulk Offering of Complete Feed/Blend & Card Line #5 - Includes Lots 206 -
190	<del></del>	1			207, Four (4) 56" Blend Feed Hopper Feeders, Each with Horizontal Belt Infeed Conveyor, Spiked Apron, Knock Off Drum, Pan Type Weigh
191		1	white board Challenge Precision Equipment grade B granite surface table, 8' x 4' x 11" with steel frame		Scale, Clam Shell Dispense Chute & Control Hollingsworth #S88-1000 Opener, S/N 133234, Belt Conveyor, Humpback Magnet, Trash Seperator
192	<del></del>	1	Accu Chiller by Thermocare chiller model SQ2A0504, 460 volt, 3 phase		Hergeth #MTO/S/C-N112493 Micro Tuft Opener, S/N 10.7642/2 (1989),
193		1	Coolant Chillers Inc. chiller, 460 volt, 3 phase, with Ranco electronic temperature control, dual fan, mounted on rolling cart		Storage Silo with Condensor Two (2) Three-Bag Dust Collector, Allen Bradley PanelView 550 Terminal, Metal & Spark Detection/Diverter
194		1		1	System Eight-Bag Dust Collector, Blower (Feed & Blend Line #5) / Mesurtonic Metal & Spark
195		. 1	Clipper roller lacer, 66", S/N: 038226		Detection/Diverter System, Eight-Bag
196		. 1	Ramco metal cutting band saw, horizontal/vertical, model #RS-90P, 120 volt, on casters, S/N: 11000		Dust Collector, Blower, Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron,
197		. 1	Oliver heavy duty band saw, 440 volt, 3 phase, model 117, S/N: 38946		Vibratory Wall, Top Mounted Condensor, Eight Bag Dust Collector,
198		. 1	MBD automatic indexing band saw, 460 volt, 3 phase, includes Allen Bradley panel view 550 controller, MBD feeder station		Garnett #7-Series Rollaweigh 2.5 mW Fiber Weight Control, S/N 0310762, 2.5mW Double Doffer Card, Power Belt Conveyor, Koops #CI1001
199		. 1			Vertical Lap Forming Head, Width 88", Schott & Meissner Gas Fired Oven, Width 94", Max Temperature Capacity
200		_ 1	I IPM shrink wrap machine, uni-tension, inclues crate of shrink wrap		Approx. 500 Degrees F, Single Pass, Upper/Lower Convection, Two Combustion Blowers, Upper/Lower
201		_ 1	Speedtek bailer, 20 hp, 460 volt, 3 phase, model VBAL-7242LH, S/N: 02080254		Belt Conveyors, Tensioning Infeed, Allen Bradley PanelView 1000 Terminal, Textile & Industrial Sales
202		- ′	1 Laroche France fabric grinder with lift fan, model 864021, 480 volt, 3 phase includes dust collection bag stand an controller	Ť	#310D-2BD Slitting Head, Four-Roll Cradle Roll Winder, Width 102", Two-Roll Take Up Winder, Width 86", Befama #AC4W Edge Trim Opener,
203		- ′	1 Laroche France material opener, model 2342-0015-003874702, mfg. date of 04/02, includes pick up fan, 480 volt, 3 phase, includes silo and control box		S/N 10738 (2000) with Blower, Includes Cabinet B with ABB Drives, Cabinet C with Allen Bradley Powerflex - updated Approx. August 2013 (Subject to Piecemeal Bids)
204	<u> </u>		Material grinder, belt drive, includes claws and belts, no motor		

### Page 8 Printed:03/28/2016 13:54

### MIEDEMA AUCTIONEERING, INC. 601 GORDON INDUSTRIAL CT BYRON CENTER, MI 49315 (800) 527-8243 ONLINE AT WWW.1800LASTBID.COM

Catalog for Auction:Concept Industries, Inc.

Description	Lot Num	Qty. Description
Blend Feed Hopper Feeders, Each with Horizontal Belt Infeed Conveyor, Spiked Apron, Knock Off Drum, Pan Type Weigh Scale, Clam Shell Dispense Chute & Control, Belt Conveyor, Humpback Magnet, Trash Seperator Hergeth #MTO/S/C-N112493 Micro Tuft Opener, S/N 10.7642/2 (1989), Storage Silo with D106 Condensor, One (1) Three-Bag Dust Collector, Includes Cabinet A (Subject to Bulk	208	1 Bulk Offering of Complete Feed/Blend & Card Line #1 - Includes Lots 209 - 210, Fiber Controls #D106 Condensor Four (4) Blend Line Hopper Feeders, each with 40" Horizontal Belt Infeed Conveyor, Spiked Apron, Pan Type Weigh Scale Opener with 25' x 40" Wide Conveyor, Humpback Magnet, Heavy Parts Seperator, Laroche #2342-00015-003 8742 02 Opener (2002), (Feed & Blend Line #1), Includes Panel F1 with Allen Bradley Panelview 550 Terminal, Storage Silo & Blower Argus #AD-50 TT/HS-375
Card Line #5, Mesurtonic Metal & Spark Detection/Diverter System, Eight-Bag Dust Collector, Blower, Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron, Vibratory Wall, Top Mounted Condensor, Eight Bag Dust Collector, Garnett #7-Series Rollaweigh 2.5 mW Fiber Weight Control, S/N 0310762, 2.5mW Double Doffer Card, Power Belt Conveyor, Koops #CI1001 Vertical Lap Forming Head, Width 88' Schott & Meissner Gas Fired Oven, Width 94", Max Temperature Capacity Approx. 500 Degrees F, Single Pass, Upper/Lower Convection, Two Combustion Blowers, Upper/Lower Belt Conveyors, Tensioning Infeed, Allen Bradley PanelView 1000 Terminal, Textile & Industrial Sales #310D-2BD Slitting Head, Four-Roll Cradle Roll Winder, Width 102", Two-Roll Take Up Winder, Width 86" Befama #AC4W Edge Trim Opener, S/N 10738 (2000) with Blower, Includes Cabinet B with ABB Drives,	, /	Metal & Spark Detector, Argus #TT/HS-375 Control, Bag Type Dust Collector Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron, Vibratory Wall, Top Mounted Condensor 2.2mW Single Doffer Card with PLC Control, Vertical Forming Head with Drive Gas Fired Oven, width 108", Max Temperature Capacity Approx. 500 Degrees F / Operating Temperature 310 Degrees F, Single Pass, Upper/Lower Convection, Two Combustion Blowers, Upper/Lower Belt Conveyors, Tensioning Infeed, Allen Bradley PanelView 550 Terminal Two-Head Slitter with Textile & Industrial Sales #310D-2BD Slitting Heads Four-Roll Cradle Roll Winder, Width 108", Two-Roll Take Up Winder, Width 94" Befama #AC4W Edge Trim Opener, S/N 10737 (2004) with Blower, Panel A1/A2 with Allen Bradley PowerFlex & 1336 Drives, Panel A3 with Allen Bradley Panelview 550 & Power Flex & 1336 Drives (Subject to Piecemeal Bids)
	Feed & Blend Line #5, Four (4) 56" Blend Feed Hopper Feeders, Each with Horizontal Belt Infeed Conveyor, Spiked Apron, Knock Off Drum, Pan Type Weigh Scale, Clam Shell Dispense Chute & Control, Belt Conveyor, Humpback Magnet, Trash Seperator Hergeth #MTO/S/C-N112493 Micro Tuft Opener, S/N 10.7642/2 (1989), Storage Silo with D106 Condensor, One (1) Three-Bag Dust Collector, Includes Cabinet A (Subject to Bulk Bid) Card Line #5, Mesurtonic Metal & Spark Detection/Diverter System, Eight-Bag Dust Collector, Blower, Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron, Vibratory Wall, Top Mounted Condensor, Eight Bag Dust Collector, Garnett #7-Series Rollaweigh 2.5 mW Fiber Weight Control, S/N 0310762, 2.5mW Double Doffer Card, Power Belt Conveyor, Koops #CI1001 Vertical Lap Forming Head, Width 88" Schott & Meissner Gas Fired Oven, Width 94", Max Temperature Capacity Approx. 500 Degrees F, Single Pass, Upper/Lower Convection, Two Combustion Blowers, Upper/Lower Belt Conveyors, Tensioning Infeed, Allen Bradley PanelView 1000 Terminal, Textile & Industrial Sales #310D-2BD Slitting Head, Four-Roll Cradle Roll Winder, Width 102", Two-Roll Take Up Winder, Width 86". Befama #AC4W Edge Trim Opener, S/N 10738 (2000) with Blower,	Feed & Blend Line #5, Four (4) 56"  Blend Feed Hopper Feeders, Each with Horizontal Belt Infeed Conveyor, Spiked Apron, Knock Off Drum, Pan Type Weigh Scale, Clam Shell Dispense Chute & Control, Belt Conveyor, Humpback Magnet, Trash Seperator Hergeth #MTO/S/C-N112493 Micro Tuft Opener, S/N 10.7642/2 (1989), Storage Silo with D106 Condensor, One (1) Three-Bag Dust Collector, Includes Cabinet A (Subject to Bulk Bid) Card Line #5, Mesurtonic Metal & Spark Detection/Diverter System, Eight-Bag Dust Collector, Blower, Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron, Vibratory Wall, Top Mounted Condensor, Eight Bag Dust Collector, Garnett #7-Series Rollaweigh 2.5 mW Fiber Weight Control, S/N 0310762, 2.5mW Double Doffer Card, Power Belt Conveyor, Koops #C11001 Vertical Lap Forming Head, Width 88", Schott & Meissner Gas Fired Oven, Width 94", Max Temperature Capacity Approx. 500 Degrees F, Single Pass, Upper/Lower Convection, Two Combustion Blowers, Upper/Lower Belt Conveyors, Tensioning Infeed, Allen Bradley PanelView 1000 Terminal, Textile & Industrial Sales #310D-2BD Slitting Head, Four-Roll Cradle Roll Winder, Width 102", Two-Roll Take Up Winder, Width 86", Befama #AC4W Edge Trim Opener, S/N 10738 (2000) with Blower, Includes Cabinet B with ABB Drives, Cabinet C with Allen Bradley

2013 (Subject to Bulk Bid)

### Page 9 Printed:03/28/2016 13:54

### MIEDEMA AUCTIONEERING, INC. 601 GORDON INDUSTRIAL CT BYRON CENTER, MI 49315 (800) 527-8243 ONLINE AT WWW.1800LASTBID.COM

Lot Num	Q	ty.	Description	Lot Num	 Qty.	Description
209		1	Feed & Blend Line #1, Fiber Controls	214	 . 1	Garnett Rollaweigh Scale, unused in
			#D106 Condensor Four (4) Blend Line			crates
			Hopper Feeders, each with 40"	215	 . 1	
			Horizontal Belt Infeed Conveyor,			Non-Woven Mat Line - Includes Lots
			Spiked Apron, Pan Type Weigh Scale			216 - 224, Hergeth #MTO13455303
			Opener with 25' x 40" Wide Conveyor,			Micro Tuft Opener, S/N 10.7064/19
			Humpback Magnet, Heavy Parts			(1987), Capacity 1.6 Meter, Infeed
			Seperator, Laroche #2342-00015-003			Conveyor, Inclined Spike Apron, Roll
			8742 02 Opener (2002), (Feed &			Control & Blower, Temafa #2720380
			Blend Line #1), Includes Panel F1 with	ì		Feed Hopper Opener, S/N 93080K249
			Allen Bradley Panelview 550 Terminal			(9502FT6022) (Yr 2007), Capacity 1.6
			(Subject to Bulk Bid)			Meter, Spiked Apron Control, Siemens
210		1	Card Line #1, Storage Silo & Blower			Simatic Panel Touchpad, Four (4) 59"
210		•	Argus #AD-50 TT/HS-375 Metal &			Blend Line Hopper Feeders,
			Spark Detector, Argus #TT/HS-375			Horizontal Belt Infeed Conveyor,
			Control, Bag Type Dust Collector			Spiked Apron, Pan Type Weigh Scale,
			Volumetric Feeder with Storage Silo,			Fiber Control #D147/X54 Condensor,
						Centralized Amacon Systems Control
			Feed Conveyor, Inclined Spiked			with Allen Bradley Panelview 1000
			Apron, Vibratory Wall, Top Mounted	1		Control Hergeth Blend Line Hopper
			Condensor 2.2mW Single Doffer Card	1		Feeder Trash Seperator with Temafa
			with PLC Control, Vertical Forming			Blower Argus #AD-50 Metal & Spark
			Head with Drive Gas Fired Oven,			
			width 108", Max Temperature			Detection System, Argus #TT/HS-375
			Capacity Approx. 500 Degrees F /			Control, Two (2) Befama #1SH
			Operating Temperature 310 Degrees			Volumetric Feeders (2000), Storage
			F, Single Pass, Upper/Lower			Silo Two (2) Garnett #7-Series
			Convection, Two Combustion Blowers	3,		Rollaweigh 2.5 mw Fiber Weight
			Upper/Lower Belt Conveyors,			Control Two (2) Befama #CU691/2500
			Tensioning Infeed, Allen Bradley			MM 2.5 mW Double Doffer Cards, S/N
			PanelView 550 Terminal Two-Head			N/A & 10672, Working Width 2.5
			Slitter with Textile & Industrial Sales			Meter, Net Throughput 2,000
			#310D-2BD Slitting Heads Four-Roll			Lbs/Hour, Befama #LCO.02/III Control
			Cradle Roll Winder, Width 108",			Two (2) Befama #5W80 Cross
			Two-Roll Take Up Winder, Width 94"			Lappers, Lap Width 3.5 Meter, Lap
			Befama #AC4W Edge Trim Opener,			Weight 1,800 gsm, Max Textile Input
			S/N 10737 (2004) with Blower, Panel			Speed 100 M/Minute, Fehrer Ag
			A1/A2 with Alien Bradley PowerFlex 8	§.		#NL9/S - 2.4 M Needle Punch Loom
			1336 Drives, Panel A3 with Allen			Pre Needle Unit, S/N 594 (2004),
			Bradley Panelview 550 & Power Flex			Throughput 1.5 M/Minute to 15
			& 1336 Drives (Subject to Bulk Bid)			M/Minute, Capacity 2.4 Meter, 3,000
211		1	Components of #2 Feed/Blend Line,			Needles, Stroke 60 mm, Strokes per
			Includes Four (4) Hopper Feeders,			Minute 1,300, 30 KW Drive, PLC
			Hollingworth Unit, NOTE: Line			Control, Allen Bradley Panelview 600
			Disconnected & Out of Service			Terminal, Fehrer Ag # NL9/S - 2.4 M
212			1 Card #2 Single Doffer Card, Width			Needle Punch Loom Finish Needle
A- 1 A-			2.2 M, Silo, Control Panel 6-A2 with	10		Unit, S/N 508 (1997), Throughput 1.5
			Drives			M/Min to 15 M/Min, Three-Head
212A			1 Oven, approx. 25' long, approx. 100"			Slitter, Nip Roll Stand, Trim Guide
2 12M			belt, gas forced with panel view 550	•		Rollers, Surface Winder, Wise
			· ·			Industries 44" Regrinder, 15 HP Motor
			controller			with Blower & Cyclone, Heavy Duty
						mai biotici a opololio, ricary bady

Lot Num	Qty.	Description	Lot	Num	(	Qty.	Description
216	 1	#MTO13455303 Micro Tuft Opener, S/N 10.7064/19 (1987), Capacity 1.6 Meter, Infeed Conveyor, Inclined Spike Apron, Roll Control & Blower, Panel #E1, Temafa Power Diverter	·	221		,	1 Card Line #8, Befama #1SH Volumetric Feeder (2000), Befama Type LCU.02/II, S/N 10672 Vibrating Wall, Storage Silo, Garnett #7-Series Rollaweigh Scale, 2.5 mw Fiber Weight Control Two (1) Befama #CU691/2500 MM 2.5 mW Double Doffer Card, Working Width 2.5 Meter, Net Throughput 2,000 Lbs/Hour,
217	 . 1	(Subject to Bulk Bid) Temafa #2720380 Feed Hopper Opener, S/N 93080K249 (9502FT6022) (Yr 2007), Capacity 1.6 Meter, Spiked Apron Control, Heavy Parts Seperator, Lift Fan, Power Diverter, Temafa Panel (Subject to Bulk Bid)	6				Befama #LCO.02/III Control, One (1) Befama #5W80 Cross Lapper, Lap Width 3.5 Meter, Lap Weight 1,800 gsm, Max Textile Input Speed 100 M/Minute, Vertical & Inclined Conveyor Section, Excludes Two-Door Center Panel & Main Operators
218	 . 1	Four (4) 59" Blend Line Hopper Feeders, Horizontal Belt Infeed Conveyor, Spiked Apron, Pan Type Weigh Scale, Fiber Control #D147/X54 Condensor, Centralized Amacon Systems Control with Allen Bradley Panelview 1000 Terminal & Powerflex Drives, Heavy Parts Separator, Lift Fan (Subject to Bulk Bid)		222			Terminal (Subject to Bulk Bid)  1 Fehrer Ag #NL9/S - 2.4 M Needle Punch Loom Pre Needle Unit, S/N 594 (2004), Throughput 1.5 M/Minute to 15 M/Minute, Capacity 2.4 Meter, 3,000 Needles, Stroke 60 mm, Strokes per Minute 1,300, 30 KW Drive, Exludes Allen Bradley Panelview 600 Terminal (Subject to Bulk Bid)  1 Fehrer Ag # NL9/S - 2.4 M Needle
219	 - ′	Argus #AD-50 Metal & Spark Detection System, Argus #TT/HS-37 Control (Subject to Bulk Bid)	<b>7</b> 5				Punch Loom Finish Needle Unit, S/N 508 (1997), Note: Excludes Allen Bradley Panelview 600 Terminal (Subject to Bulk Bid)
220	 _	1 Card Line #7, Befama #1SH Volumetric Feeder (2000), Befama Type LCU.02/II, S/N 10672 Vibrating Wall, Storage Silo, Garnett #7-Series Rollaweigh Scale, 2.5 mw Fiber Weight Control Two (1) Befama		224		-	1 Three-Head Slitter, Nip Roll Stand, Trim Guide Rollers, Surface Winder, Wise Industries 44" Regrinder, 15 HP Motor with Blower & Cyclone, Heavy Duty Separator (Subject to Bulk Bid)
		#CU691/2500 MM 2.5 mW Double Doffer Card, Working Width 2.5 Met Net Throughput 2,000 Lbs/Hour, Befama #LCO.02/III Control, One (1 Befama #5W80 Cross Lapper, Lap Width 3.5 Meter, Lap Weight 1,800 gsm, Max Textile Input Speed 100		225		_	1 Capacity 50,000 CFM - Dust Collector & Humidifier - Room Approx. 30' x 15' x 12' H, Control Panel with Allen Bradley Panelview Plus 1000 Terminal, 75 HP Motor & Twin City Blower, 15 HP Motor & Twin City Blower, Aerob Collector
		M/Minute, Vertical & Inclined Conveyor Section, Excludes Two-De Center Panel & Main Operators Terminal (Subject to Bulk Bid)	oor	226		_	- Includes Lots 227 - 239C, Complete Panel Line (2006/2007), Includes: Crane Cell w/1 Ton Hoist, Unwind Station: Two Cradle Dereelers - Belt 94" Wide, Fleissner Nonwovens #N0172 Variant -L-7 Splice Station, S/N 061G18 (2006), Accumulator Looping Station (4 Upper Rolls / 5

Lot Num	Qty.	Description	Lot Num	Qty.	Description
		Lower Rolls), Fleissner #TVZ42/HG/AM Belt Type Furnace, S/N N0172/40, Furnace Drives 18.5 KW, Thermotec#Phonix TE2 Gas	228		1 Approx. 16' x 16' x 16' H Free Standing Crane Cell with LodeRail 2,000 Lb Crane & 1 Ton CM Lodestar Electric Hoist, Asset #2765796A (Subject to Bulk Bid)
		Burners, Identar #071081, O/A Length Approx. 27', Exit Pinch Roll/Consolidating Roll Station, A/B Panelview 500 Terminal, Thermal Care #SQ2A0504 Accu-Chiller, (4) Mahlo TQMS-10A Gravimat Density Testers, Powder Feed Booth with Two Hoppers, Powder Nozzle Unit Feeds Granular Powder & Reclaim Powder for Boron Coating, Mahlo Gravimat	229		1 Unwind Station: Two Cradle Dereelers - Belt 94" Wide, Fleissner Nonwovens #N0172 Variant -L-7 Splice Station, #WSN1, S/N 061G18 (2006), Accumulator Looping Station (4 Upper Rolls / 5 Lower Rolls), Caldwell Stong Bac Roll Hook, Asset #'s 2765796B/C/D/E (Subject to Bulk Bid)
		Density Tester 2, Traveling Cut-Off, Black Brothers #C1175 CTR Roller Coater, S/N 333189 (2008), Belding Tank & Pump, Fleissner Curing Oven, Approx. Length 50' x Belt 94" Wide, Heesemann #KSA8 Belt Sander, S/N 2007.07.231 (2007), Baghouse with 15 HP Blower, Marsh #VJ Patrion Plus Printer, Run-out/Inspection Table, Panel Line Stacker with two (2) Ramcon Lift Tables, Capacity 171" L x 107" W, Boron Feeding & Reclaim Unit, Includes: NBE Bag Unload			1 Fleissner #TVZ42/HG/AM Thermo Fusion Oven Vario Air & Jet Air, S/N N0172/40; Working Width 2500 mm (99"); Furnace Drives 18.5 KW; Thermotec#Phonix TE2 Gas Burners, Identar #071081; O/A Length Approx. 27'; Exit Pinch Roll/Consolidating Roll Station, A/B Panelview 500 Terminal; Asset #2765796G; Fleissner #N0172/50 (2006) 50' Curing Oven; #TDS34/HG/AM; Common Control Panel for Both Fleissner Ovens (Subject to Bulk Bid)
		Station, Acrison #1052-66 Feeder, 2 Ton Unload Cell, Midwestern Industries Gyra-Vib Unit with Power Knife, Midwestern Industries #1057/FF-2 Volumetric Feeder, S/N 07244-0, Two Cabinets with Unused	231		1 Thermal Care #SQ2A0504 Accu-Chiller, S/N 13915010701, Compressor 5 HP, Process Pump 1.5 HP, Fan .75 HP, R-22 Refrigerant, Accu-Chiller Control (Subject to Bulk Bid)
		Replacement Parts (Subject to Piecemeal Bids), Buyer is Responsible to comply with all NRC Regulations for Removal, Transport & Reporting of the General Licensed Devices and provide evidence of compliance.	232		1 Four (4) Mahlo Gravimat Density Testers, Type TQMS/10A, S/N 66100/681/267A, 267B, 267C & 267D (2006), Control Panel Typ QMS10A, S/N 6611/12/267, Common Control Panel for Four (4) Mahlo Units, Asset #2765796H, T, W & AA (Subject to
227		1 Boron Feeding & Reclaim Unit, Includes: NBE Bag Unload Station, Acrison #1052-66 Feeder, 2 Ton Unload Cell, Midwestern Industries Gyra-Vib Unit with Power Knife,			Bulk Bid), Buyer is Responsible to comply with all NRC Regulations for Removal, Transport & Reporting of the General Licensed Devices and provide evidence of compliance.
		Midwestern Industries #1057/FF-2 Volumetric Feeder, S/N 07244-0	233	<del> </del>	Boron Powder Applicator Booth     (Subject to Bulk Bid)
		(Subject to Bulk Bid)	234 235		1 1 Travelling Cut-Off, Feed Table, Asset 2765796T (Subject to Bulk Bid)

Lot Num	Qty.	Description	Lot Num	Qty.	Description
236	 1	Black Brothers #C1175 CTR Roller Coater, S/N 333189 (2008), Belding Material Tank (Subject to Bulk Bid)	242	· · · · · · · · · · · · · · · · · · ·	1 Cut-To-Length Line Including: Hamilton 50 Ton Upacting Hydraulic Press, S/N 060187-747904, Rebuild
237	 1	Heesemann #KSA8 Belt Sander, S/N 2007.07.231 (2007); Sanding Width 2.000 mm, Working Height 920 mm, Max Workpiece Thickness 3 - 80 mm; Baghouse with 15 HP Blower; Includes Boxes of Unused Sanding			#21922, Bed 60" x 86", Stroke 21.25", DL Approx. 45", Dual Head Slitter, Two (2) #4Z390A Textile Industrial Sales Inc Slitter Heads, Load Table, Driven Feed Roll with Allen Bradley Power Flex 40 Drive
000	4	Pads; Unused Spare Gear Drive (Subject to Bulk Bid)	243		1 Corrugated Equipment #EC80 Sheet Cutter, S/N 8l66, Width Capacity Approx. 80", Infeed & Outfeed
238	 7	Marsh #VJ Patrion Plus Printer, Run-out/Inspection Table, Panel Line Stacker with two (2) Ramcon Lift	244		Conveyors Approx. 10' Long,  1 Hamilton Downacting Hydraulic Press
		Tables, Capacity 171" L x 107" W (Subject to Bulk Bid)			<ul> <li>Approx. 50 Ton Capacity, Nominal Bed 44" x 90", Stroke Approx. 24",</li> </ul>
239	 1	Approx. Ht 17' x 10' Dia, Asset			Daylight Approx. 40", 10 HP Motor & Hydraulic Power Unit
239A	4	#2765796AF, Sandipiper Pump (Subject to Bulk Bid) Two Cabinets with Unused Parts for	245	······································	1 Hamilton Upacting Hydraulic Press - Approx. 100 Ton Capacity, Nominal Bed 48" x 84", Approx. Stroke 20",
23 <del>3</del> A	, [	Panel Line Including: Allen Bradley PowerFlex Drives, Festo Cylinders, Hitach Inverter, Siemens Controls,	246		Approx. DL 44", 20 HP Motor & Hydraulic Power Unit 1 Lyle Model 260FTP Form & Trim
		Misc Boards, Allen Bradley I/O Boards, Misc Bearings, (4) Hessman electric gear reducers; Housing/Bracket; Belts; Air Cylinders (Subject to Bulk Bid)			Thermoformer, Serial Number 10418500/043641 (2000), Mold Size 30"/50" x 50" L, Form Size 60"x 50", Daylight 25 1/8", 4-Section Heater, Material Feed System
239C	 - ′	1 Hessman parts - cylinders, belts, housing, brackets, roller, guides	247		1 CMI 4-Station Rotary Thermoformer, Approx. Sheet Size 6' x 8',
239D	 - <i>'</i>	<ol> <li>Motor with gear drive, pump, light curtains, mirros for light curtains, and belts.</li> </ol>			Load/Unload Station, Forming Station, Pre-Heat Station, Oven Station - 10 Zone, Ceramic Oven, UniOp Control
240	 -	1 Catbridge Driven Winder/Unwinder, Width Approx. 10', Table, Four-Roll Winder, Width Approx. 102"	249 _	<del> </del>	(Vac Form #06)  1 CAM #4872-85 Type SS - Single Station Thermoformer, Approx. Sheet
241	 _	1 Six Roll Laminator, Roll Width Approx. 84", HEAT Inc #KM550-60-483 Heater, (2006), Aller Bradley Panelview 550 Terminal, Asset #'s 2765796Y & Z	١		Size 4' x 6', Exor UniOp Control, TUC Temperature Controller, Upper & Lower Stroke Approx. 40", Oven - Ceramic Top & Bottom - 10 Zone Top & Bottom (VacForm #04), S/N 43842
			249A _		1 Qty Approx. 10" to 48" Clamp Frames on Main Floor Rack - Rack approx. 28"D x 8'W x 7'/8' Uprights

Lot Num	444	Qty.	Description	Lot Num	Qty.	Description
250	<u>.</u>	1	Custom Built Slit & Cut-to-Length Line, Width Capacity Approx. 92" Wide, Three (3) Driven Slitter Heads,	259	1	SP Industries model 2101 baler, 480 volt, 3 phase, includes container, S/N: 412280, buyer responsible for removal
			Pinch Roll Assembly, Allen Bradley Panelview Plus 600 Terminal, Boschert Unwind Station (Approx. 2014)	260	1	Dust collection system, includes 16 bagger dust collection unit, buyer responsible for removal (located outside of building)
251		1	Custom Innovative Production Technologies Packing Cell,	261		Oven by Maxon, approx 10' in length, with Baldor 3 phase electric motor
			Compression Area Approx. 40" Wide x 78" Long, Vertical Travel Approx. 50", Horizontal Travel Approx. 78" (Approx. 2014)			Genie model Z-30/20N aerial lift, 1999, 500 lb load capacity, 30' max platform height, max platform reach 21', internal 110 volt charger, 2337
252		1		000	,	hours showing, S/N: 2688
			3-Axis CNC Router, Serial Number 2039 (1998), Universal Head, Travels: X-181.10" (4600 mm) / Y-51.96" (1320 mm) / Z-31.50" (800 mm), C Rotation			1 Skyjak model SJ6832 scissor lift, 1000 lb capacity, 32' platform height, 24 volt, internal charger, 549 hours showing, S/N:80275 (located in
			640 Degrees, B Rotation +/- 135	264		building 1)  Caterpillar model GC40K LP fork lift,
			Degrees, Type CMS/ECS 2401 Control, Vickers Brushless Servo Motors, Router Cut Natural Fiber & Poly-Propylene Blend with Fiberglass	204		7600 lb capacity, 2 stage mast, 60" forks, side shift, hard rubber tires, does not include propane tank, 7411
253		. 1	Data Technologies Cutting Table			hours showing, S/N: AT8071913
254		. 1	BlueM model DC-606G laboratory oven, temperature range of 316 degrees C to 600 degrees F, chamber 48", F-BX36"- I-rx 60" H with 9 shelves, 480 volt, 3 phase, S/N:	265		(located in building 1)  1 Yale LP fork lift, model GLC050denuae083 5000 lb capacity, 190" max fork height, solid rubber tires, has side shift, mounted Arrow
255			DC2740  1 4-post down acting hydraulic press,			model 5020 9' x 2.5" spear with 1500 lb capacity, 22,188 hours showing,
			stroke approx 20", daylight approx			S/N: N568638 (located in building 2)
			32", Nominal bed, approx 40" x 49"  O/A bed and pattern, 40"x60" between posts, 29" x 49", floor mounted motor and hydraulic power unit includes  Allen Bradley panel view 550 controller	266 n		1 Yale model REC0408GN36TE084 electric hilo, 36 volt, 4000 lb capacity, 194" lift height, 3 stage mast, side shift control, includes Cascade bale clamp attachment, 8673 hours showing, S/N: A814V04301W (located in building 1)
256		-	1 Erie 4-post down acting hydraulic press, 2005, stroke approx 20", daylight approx 32", Nominal bed, 32' x 37" O/A bed and pattern, 32" x 46" between posts, 24" x 37" top mounted		***************************************	1 Yale model REC0408GN36TE084 electric hilo, 36 volt, 4000 lb capacity, 194" lift height, 3 stage mast, side shift control, includes Cascade bale clamp attachment, 8028 hours showing, S/N:
			motor, hydraulic unit, Allen Bradley micro terminal, S/N 7094	268		A814V043000W  1 Toyota model 7FBEU20 fork truck,
257			1 Union Tool Corp roller coater	200		4000lb capacity, electric, 3 stage
258		-	1 Burke Porter model CPI-C cut off saw, shuttle table, traversing rotary blade saw, S/N: BT001109			mast, 36 volt, 46" forks, side shift, 189" max lift height, hard rubber tires, rear wheel steer, 14,213 hours showing, S/N:17051

### ONLINE AT WWW.1800LASTBID.COM

Lot Num	 Qty.	Description	Lot Nu	n (	Ωty.	Description
269 270	1	•	276	<u> </u>		1 Hawker model TC3-LP-10KW high frequency smart battery charger, battery type L-A, amp hours 1500, no cells, 12/18/24, input ac volts 480, ac amps 15, output dc volts 24/36/48, dc amps max 240, S/N: KK128111  ***Hold for removal until Arpil 6 at
		volt, side shift, 188" max fork height, 3 stage mast, 42" forks, solid rubber tires, 4379 hours showing, s/n: A4EC221609 ***Hold for removal until Arpil 6 at 12:00 PM***		7		12:00 PM***  1 Hawker model # TC3-LP-10KW high frequency smart battery charger, battery type L-A, amp hours 1500, no cells, 12/18/24, input ac volts 480, ac amps 15, output dc volts 24/36/48, dc amps max 240, S/N: MB166258
271	 1	Caterpillar electric hilo, model E5000-AC, 5000 lb capacity, 36/24 volt, side shift, 188" max fork height, 3 stage mast, 60" forks, solid rubber tires, 5301 hours showing, s/n:	27	8		***Hold for removal until Arpil 6 at 12:00 PM***  1 Hawker model # TC3-LP-10KW high frequency smart battery charger,
272	 . 1	A4EC221629 ***Hold for removal until Arpil 6 at 12:00 PM*** Caterpillar electric hilo, model E5000, 4000 lb capacity, 36/24 volt, side shift,	•			battery type L-A, amp hours 1500, no cells, 12/18/24, input ac volts 480, ac amps 15, output dc volts 24/36/48, dc amps max 240, S/N: KL129514
070		188" max fork height, 3 stage mast, 42" forks, solid rubber tires, ignition may need to be repaired, does work, 4168 hours showing, S/N: A4EC221422	27	9	•	1 Hawker model # TC3-LP-10KW high frequency smart battery charger, battery type L-A, amp hours 1500, no cells, 12/18/24, input ac volts 480, ac amps 15, output dc volts 24/36/48, dc amps max 240, S/N:L153862 (located
273	 •	duty forklift, 15,000 lb capacity, 183" max fork height, single stage mast, 60" rks, runs but may need head gasket repairs, 3200 hours showing,	28		_	in building 2)  1 Hawker model PH3M-18-775 Power Guard HD battery charger, battery type L-A, amp hours 775, no cells, 18 charg time 8, input 208/240/480, 3
274	 _	S/N: 5MB00489  1 AVI model # MDC-DD electric die lift cart, 50,000 lb capacity, 96" F-D X 72 L-R, 60" lift, weight with out battery 23,000 lb, 24 volt, battery type E, includes 1 Exide depth charger, mode D3E-12-85, 208/240/480, 3 phase, 24 volts, 477 bours chowing, S/N: 99411	el 4			phase, ac amps 23/20/10, dc volts 36, dc,amps max 147, includes stand, S/N FL25277
275	 _	volts, 477 hours showing, S/N: 99411  Hawker model TC3-LP-10KW high frequency smart battery charger, battery type L-A, amp hours 1500, no cells, 12/18/24, input ac volts 480, ac amps 15, output dc volts 24/36/48, damps max 240, S/N: KK128107	) ;			

Lot Num	Qty.	Description	Lot Num	Qty.	De	escription
281	 1	2004 Sterling Acterra 26' box truck,	297			(2) 2-door metal storage cabinets with assorted items
		210 hp 7.2 liter diesel engine, 6 speed	000			(4) Dayton 2-door storage cabinets
		transmission, 25 500 lb GVWR, 8000	298			,
		Ib front axle, 17,500 lb rear axle,				with assorted tooling, parts, hoses,
		Morgan 26' box with nose cone, air	000			and more
		ride seat, leaf suspension, dual fuel	299			Contents of pallet racking in upstairs
		tanks, some repairs have been made				mezzanine area, includes assorted
		to box corner, rear door appears to be				fabrics, wood forms, cubicles, office supplies, 2 door storage cabinets, and
		off track, runs and drives, has				more (racking is not included)
		285/75R24.5 front stear tires and	000			Contents of upstairs mezzanine area,
		285/75R25 rear drive tires, power	300			<u>-</u>
		windows, heated mirrors, cruise				includes fabrics, panels, new and old
		control and AM/FM tape, 352 195				stock items, table, (2) sections of pallet racking, (6) uprights with cross
		miles showing, VIN:				beams, metal racks, and more
000		2FZACFAL24AM35073	204			Contents of mezzanine area, above
282	 . 1	•	301		ı	shipping office, large lot of assorted
		model EV70, 60,000 GVWR, 53',				items, pipe, cards, motors, battery
		tandem axle, with manual lift gate,				chargers, welder carts, air tank, and
		wood floor, 1 tire is flat and off bead,				much more
		storage use only, glad hands have	302		1	(5) assorted steel rolling carts, with
		been removed, VIN: 1NNVF4524BM058194	302		•	wood top desk steel frame
202		Cadwell fork attachment jib	303		1	(4) brand name Best Flex accordian
283 284	 - 1		303		•	style roller tables, (2) 80"x24" and (2)
285		Big Joe model 2524-T12 walk behind				24"x24"
200	 -	lift, 2500 lb capacity, 12' height,	304		1	(3) assorted rolling carts, (1)
		internal charger	00 .		-	aluminum framed, (1) steel frame with
286		1 Stuffer station, includes table and				aluminum top, (1) 2-tier steel cart
200	 -	carts	305		1	(5) assorted rolling steel product carts
287	_	1 Stuffer station, includes table and	306		1	(7) rolling steel product carts
_0.		carts	307		1	Rock of Ages granite surface plate
288	 _	1 (9) steel stackable racks, 8' x 48"				with steel frame, 26"long x 24" deep x
		deep, approx 52" tall				6" thick, S/N 502826
289	 	1 (4) metal frame 4-wheel product carts	, 308		1	(18) new boxes with assorted spool
		48"x 50" platforms				saw blades
290	 _	1 (2) Dayton 4 wheel product carts, 5' x	309	<del>,</del>	1	(2) skids of assorted spools with
		30"				carding blades
291	 _	1 (9) assorted steel carts with casters	310		1	(2) skids of assorted spools with
292	 _	1 (6) assorted steel carts with casters				carding blades
293	 _	1 (9) rolling steel base wood rotating	311		1	(5) Rubbermaid utility carts, 750 lb
		kiosk stations				max, 1/2 cubic yard capacity
294	 	1 Zogno Italy presetting machine mode	1 312		1	Steel ladder rack on casters, steel
		191, S/N: 150				framed stand 6' long x 33" deep x 56"
295	 _	1 (2) metal storage cabinets by Dayton			_	tall
		with assorted contents and (1) steel	313			5-step rolling safety shop ladder
		frame wood top table with assorted	314		1	Forkable safety man basket, 800 lb
		contents	045			capacity  Assorted cardboard boxes
296	 _	1 Dayton 2-door storage cabinets with	315			Assorted cardboard boxes  Assorted cardboard boxes
		assorted contents, desk with assorte fittings, and 3 tier rolling cart	d 316		1	Washifen calminain noves

ONLINE AT WWW.1800LASTBID.COM
Catalog for Auction:Concept Industries, Inc.

Lot Num	Q	ty.	Description	Lot Num	Qty	·. I	Description
317		1	(2) banding carts with metal banding	342		1	Skid of Econo Blend Blue ice melter, 50 lb bags, approx. 20 bags
318		1	and hand tools (8) collapsable stackable plastic	343	<u> </u>	1	Wooden die makers, aluminum, and
			baskets, 48" x 45"				more
319		1	(32) 64" x 48" collapsable plastic	344		1	Ariens ST102ALE snow blower,
			storage crates				Tecumseh gas engine, 28" clearing
320		1	Assorted plastic skids, tire skids, flat				path, in building 1
			skids, panels, and more	346		1	Set of 6' fork extensions
321		1	Material type EVA engineering	347		1	5000 lb capacity pallet jack
		-	samples, assorted lengths and	348		1	(2) pedestal fans
			thicknesses	349		1	(3) 1.2 cubic yard Rubbermaid rolling
322		1	Material type EVA engineering				trash receptacles, (1) approx. 4 cubic
<b></b>		•	samples, assorted lengths and				yard rolling trash receptacle
			thicknesses, and (2) rolls of fiber	350		1	(3) rolling carts, (2) rolling kiosks
323		1	Waytronix digital floor scale, 48"x48"	351		1	Hudson Machinery clicker press,
020		•	platform				model SE15, 220 volt
324		1	Contents on racking - approx. (25)	352		1	Gustin-Bacon thickness tester,
021		·	78"x45" mounted Gaylord flip style				includes weight and Ohaus 510 gram
			boxes				capacity digital scale
325		1	Sterlco M6026-BX heating and	353		1	Mettler Toledo express digital
020		•	temperature contoller, watts per	000			platform scale, platform is 48"x48"
			heater, 2 hp, 460 3-phase	354		1	1 Contents of mezzanine area above
326		1	(1) 5000 lb capacity pallet jack	001		,	tool room - shelving units, (3) 2-door
327		1					storage units, sprockets, pulleys,
328		1					motors, casters, nuts, bolts, and more
320		'	solid steel rolling table 28"x24", (1)	355		,	1 Assorted metal
			29"x16" steel table, rolling steel parts	356			1 Eagle Manufacturing YPI-47 60 gallon
			rack, and more	000			capacity flammable storage cabinet,
329		1	Large assortment of frame clamps				43" long, 18.5" deep, 66" tall
323		'	with rack	357			1 Contents of (2) sections of pallet
330		4	(4) heavy duty die racks, 2-tier, with	001			racking - assorted cardboard, plastic,
330		,	rollers, end load, 10' long x 82" wide x	,			and more, rack not included
			64" high	358			1 Contents of (3) sections of pallet
331		4	(2) heavy duty die racks, 2-tier, with	330	<del></del>		racking - assorted cardboard, plastic,
331				,			and more, rack not included
			rollers, end load, 10' long x 82" wide x 64" high	359			1 (5) sections of teardrop style pallet
ววา		1	_	508			racking, 20' uprights
332			(2) skids of assorted scrap metal (5) skids of assorted scrap metal -	360			1 Set of 42" forks and mounting bracket
333			• •	361			1 (4) coils of new metal banding, 3/8"
			aluminum, copper, steel, stainless	362			1 Contents of (2) sections of pallet
224		,	steel, and more  1 Assorted scrap metal	302			racking - plastic skids, assorted
334			•				material, rack not included
335			1 Assorted aluminum scrap	363			1 Contents of pallet racking - rolls of
336			1 Assorted aluminum scrap	303			release paper, rolls of rubber, and
337			1 Assorted scrap metal				more, rack not included
338			1 Hoffman cable race ways	364			1 (6) sections of pallet racking, (8) 20'
339			1 (2) skids of assorted glue/ hot melt				uprights, (32) cross beams, (12)
340			1 Heavy duty A-frame stand, approx. 9				pieces of waterfall mesh decking
			tall x 78" wide, includes (4) 7" diamet				1 (3) sections of pallet racking with
044			heavy duty steel casters and I-beam	365			assorted material
341			1 Set of 7' fork extensions				assulted material

### ONLINE AT WWW.1800LASTBID.COM

Lot Num		Qty.	Description	Lot Num	Qty	y. De	scription
366	·	1	(3) sections of pallet racking with assorted material	389			2) sections of pallet racking, (3) 20' prights, (8) 11' cross beams,
367	<u> </u>	1	(6) sections of pallet racking, (8) 10' uprights, (24) 102" cross beams, (24)	390			ontents not included  2) sections of pallet racking, (3) 20'
			pieces of waterfall mesh decking			u	prights, (10) 102" cross beams
368	***	. 1	(2) stackable open face shipping	391			5) 275 gallon plastic forkable totes,
			crates, 6' long x 54" deep, and (1) steel frame rolling table, 4' wide x 8'				vooden stand with heavy duty metal nesh deck, 15' long x 95" deep
			long	392		1 (	1) section of pallet racking, (2) 20'
369		. 1	Approx. (80) wooden skids, 68" long x 4' wide				uprights, (6) 101" cross beams, (6) waterfall mesh decking plates
370	• • • • • • • • • • • • • • • • • • • •	_ 1	Approx. (40) heavy duty skids, 102" long x 6' wide	393		•	assorted metal frame wood top lesks with assorted contents
371		. 1	Approx. (50) heavy duty wooden skids, 100" long x 64" wide	394		1 (	Gustin-Bacon thickness tester, AND EK2000G digital scale
372		1	Assorted metal stands, rolling cart,	395			The Hudson Group clipper press with
			table	550		t	ransformer, 480 volt Delta primary, secondary 240/120 3-phase
373			(17) skids of raw material - jute fiber	206			Assorted plastic and cardboard
375	<del></del>		Approx. (18) assorted size stackable folding plastic shipping crates	396		1	rollers, (5) plastic stackable folding
376	<del></del>		Large lot of raw material/fabric				shipping crates
377		_ 1	Approx. (20) plastic folding shipping	397			Assorted fabric rolls
378		_ 1	crates with assorted fiber material (12) stackable folding plastic shipping			(	Approx. (60) 48"x48"x48" expandable corrugated container packs
			crates	399			Large lot of assorted material
379		_ 1	Approx. (110) bales of fiber from Bangladesh (FNFHP1562)	400			Large lot of raw material, part # C140047
380		_ 1	(9) shipping crates with assorted	401		1	(6) bales of 6DX 2" FR fiber
			cardboard rollers	402			(36) bales of 10DX 3" hollow
381		_ ′	Approx. (65) bales of raw material				Conjugate fiber
382		_	(4) sections of teardrop style pallet racking, (8) 10' uprights, (24) 102"	403			Approx. (17) bales of Toledo fiber, part # C140009
383			cross beams 1 Pallet racking, (18) 10' uprights,	404			Approx. (40) bundles of material, part # C150022
			assorted 8' cross beams, wire mesh decking, contents not included	405			Approx. (30) bundles of raw material, part # C130026
384			1 Pallet racking, (18) 10' uprights, (90)	406		1	(3) Sections of steel guard rail
33.		_	102" cross beams, contents not included	407			Custom made down draft table with assorted contents and 55 gallon drum
385		_	1 (8) sections of slot style pallet				cart
			racking, 8' uprights, (48) 8' cross beams, wire mesh decking panels,	408	***************************************	1	Electric power washer, push brooms, hose, shovels, trash receptacle, and
			contents not included			4	dust pans
386		_	1 (3) sections of pallet racking, (4) 20' uprights, (26) 8' cross beams	409		1	(1) Section of pallet racking - (2) 10' uprights, (4) cross beams, includes
387		_	1 (3) sections of pallet racking, (2) 16'				contents of liner release paper
			uprights, (2) 12' uprights, (24) 102"	410			Assorted size soft plate
			cross beams	411		1	(2) Marsh Partion Plus digital displays
388	<del></del>	<del></del>	1 (3) sections of pallet racking, (5) 16' uprights, (20) 11' cross beams	412		1	Torch tank cart, includes hose and gauges

### MIEDEMA AUCTIONEERING, INC. 601 GORDON INDUSTRIAL CT BYRON CENTER, MI 49315

Page 18 Printed:03/28/2016 13:54

### (800) 527-8243 ONLINE AT WWW.1800LASTBID.COM

Lot Num	 Qty.	Description	Lot Num	Qty.	Description
413	 1	Rewinder with Coast Servo controller			
414	 1	Unwinder with electric motor and Faulk gear reducer, adjustable, with			
		rollers			
415	 . 1	Custom made roller stand			
416	 . 1	Rubbermaid product cart, wood table, metal stand, broom, and shovel			
417	 . 1	(4) Steel framed plastic top tables, 48" long X 34" wide x 36" tall			
418	 . 1	(4) Steel framed plastic top tables, 48" long X 34" wide x 36" tall			
419	 . 1	(4) Metal framed wood top tables			
420	 . 1	(9) Assorted rollers			
421	 . 1	(5) Metal frame display stands, wood back with peg board top, 80" long			