

LIVE

BID LIVE
OR ONLINE

AUCTION

TUESDAY, MARCH 29, 2016 • 10 AM ET

CONCEPT INDUSTRIES, INC.

4950 Kraft Avenue SE, Grand Rapids, MI 49512

Directions to Auction: From M6, take the MI-37 Exit #15 toward Gd Rapids/ Hastings. Go North on MI- 37/ Broodmoar Ave, then turn East onto 60th St. Kraft Ave SE is the first street, turn North and the destination will be on your right. Auction Location is 3 miles from the Gerald R. Ford International Airport.



Auctioneer's Note: Since 1984, Concept Industries has been a full service provider of Returnable Packaging Systems, Vacuum Formed Plastics and Non-Woven Fiber Products for the automotive, office furniture and other industries. Their expertise in fibers, blends, processing and manufacturing allowed them to create superior natural and synthetic fibers to achieve specific acoustic and structural properties. Miedema Auctioneering, Inc. and Hilco Global now present an opportunity to purchase this equipment via live auction. **Complete, Final Liquidation!**



MIEDEMA AUCTIONEERING & APPRAISALS, INC.

"Leaders in Innovative Auction Marketing Methods"

601 Gordon Industrial Court
Byron Center, MI 49315

HEADQUARTERS - GR METRO 601 GORDON INDUSTRIAL CT. BYRON CENTER, MI 49315 (616) 538-0367	NORTHERN MICHIGAN 210 NORTH GRACE ST. MCBAIN, MI 49657 (888) 624-7653	OHIO OFFICE 9435 WATERSTONE BLVD. SUITE 140 CINCINNATI, OH 45249 (216) 732-9952	REPOCAST EASTERN MICHIGAN 2851 JAMES P. COLE BLVD. FLINT, MI 48505 (248) 627-5200
--	--	--	--

1-800-527-8243

Online Bidding Available via **BidSpotter.com**

Hilco
Industrial

1-248-254-9999

For more information, please visit 1800lastbid.com or hilcoind.com

LIVE AUCTION




CONCEPT INDUSTRIES, INC.
LIVE AUCTION



TUESDAY, MARCH 29, 2016 | 10 AM ET

4950 KRAFT AVENUE SE, GRAND RAPIDS, MI 49512



**See 1800lastbid.com
or hilcoind.com
for videos showing Nonwoven Mat
Line & Panel Line in operation**

NON-WOVEN MAT LINE

- 1 - Complete Nonwoven Mat Forming Line; Hergeth #MTO13455303 Micro Tuft Opener, S/N 10.7064/19 (1987), Capacity 1.6 Meter; Temafu #2720380 Feed Hopper Opener, S/N 93080K249 (9502FT6022) (Yr 2007), Capacity 1.6 Meter; (4) Blend Line Hopper Feeders, Spiked Apron; Weigh Scale, Fiber Control #D147/ X54 Condensor; A/B 1000 Control; Hergeth Blend Line Hopper Feeder; Argus #AD-50 Metal & Spark Detection System, Argus #TT/HS-375; (2) Befama #1SH Volumetric Feeders (2000), Storage Silo; (2) Garnett #7-Series Rollaweigh 2.5 mw Fiber Weight Controls; (2) Befama #CU691/2500 MM 2.5 mW Double Doffer Cards, S/N N/A & 10672; Working Width 2.5 Meter, Net Throughput 2,000 Lbs/ Hour; Befama #LCO.02/III; (2) Befama #5W80 Cross Lappers, Lap Width 3.5 Meter, Lap Weight 1,800 gsm; Max Textile Input Speed 100 M/Minute; Fehrer Ag #NL9/S - 2.4 M Needle Punch Loom Pre Needle Unit, S/N 121-594 (2004); Throughput 1.5 M/Minute to 15 M/Minute; Capacity 2.4 Meter; 3,000 Needles, Stroke 60 mm; Strokes per Minute 1,300; 30 KW Drive; PLC Control; A/B Panelview 600 Terminal; Fehrer Ag # NL9/S - 2.4 M Needle Punch Loom Finish Needle Unit, S/N 508 (1997); Throughput 1.5 M/Min to 15 M/Min Three-Head Slitter; Nip Roll Stand, Trim Guide Rollers; Surface Winder; Wise Industries 44" Regrinder, 15 HP Blower/Cyclone; Line Typically Ran 8.8 - 8.3 Thickness; Blend of Natural 66% / Poly-Pro 17% / Regrind 17%; (Video Available)

PANEL LINE

- 1 - Complete Panel Line (2006/2007); Includes: Crane Cell w/1 Ton Hoist; Unwind Station: Two Cradle Dereelers - Belt 94" Wide; Fleissner Nonwovens #N0172 Variant -L-7 Splice Station, S/N 061G18 (2006); Accumulator Looping Station; Fleissner #TVZ42/HG/AM Belt Type Furnace, S/N N0172/40; Thermotec#Phonix TE2 Gas Burners, Identar #071081; O/A Length Approx. 27'; Exit Pinch Roll/ Consolidating Roll Station, A/B Panelview 500 Terminal; Thermal Care Accu-Chiller; (4) Mahlo TQMS-10A Gravimat Density Testers; Powder Feed Booth with Two Hoppers; Boron Coating; Traveling Cut-Off; Black Brothers #C1175 CTR Roller Coater, S/N 333189 (2008); Belding Tank & Pump; Fleissner Curing Oven, Approx. Length 50' x Belt 94" Wide; Heesemann #KSA8 Belt Sander, S/N 2007.07.231 (2007); Marsh #VJ Patriot Plus Printer; Run-out/Inspection Table; Panel Line Stacker w/(2) Ramcon Lift Tables, Capacity 171" L x 107" W; Boron Feeding & Reclaim Unit; Includes: NBE Bag Unload Station; Acrison #1052-66 Feeder; 2 Ton Unload Cell; Midwestern Industries Gyra-Vib Unit with Power Knife; Midwestern Industries #1057/FF-2 Volumetric Feeder, S/N 07244-0; Donaldson Reclaim Unit; (Video Available)

CARDING LINES

- 2 - Carding Line #1 & #5; Volumetric Feeder with Storage Silo, Feed Conveyor, Inclined Spiked Apron, Vibratory Wall; 2.2mW Single Doffer Card with PLC Control; Vertical Forming Head with Drive Gas Fired Oven, width 108"; Max Temperature Capacity Approx. 500 Degrees F / Operating Temperature 310 Degrees F; Single Pass, Upper/Lower Convection & Belt Conveyors, Tensioning Infeed; Allen Bradley PanelView 550 Terminal Two-Head Slitter with Textile & Industrial Sales #310D-2BD Slitting Heads; Four-Roll Cradle Roll Winder, Width 108"; Two-Roll Take Up Winder, Width 94" Befama #AC4W Edge Trim Opener, S/N 10737 (2004)

FEED & BLEND LINES

- 2 - Feed & Blending Line; Four (4) 56" Blend Feed Hopper Feeders, Infeed Conveyors, Scale, Hollingsworth #S88-1000 Opener, S/N 133234, Belt Conveyor, Humpback Magnet, Trash Separator Hergeth #MTO/S/C-N112493 Micro Tuft

Opener, S/N 10.7642/2 (1989); Storage Silo with Condensor Two (2) Three-Bag Dust Collector; A/B PanelView 550 Terminal; Argus #TT/HS-375 Metal & Spark Detection/Diverter System; Dust Collector/Blower

THERMOFORMERS

- 1 - CMI 4-Station Rotary Thermoformer; Size Approx. 6' x 8', Load/Unload Station, Forming Station, Pre-Heat Station, Oven Station - 10 Zone, UniOp Control, Chiller (Vac Form #06)
- 1 - CMI Model SS60108 Single Station Thermoformer; Serial Number 20011 (2000); Approx. Capacity 5' x 9', Heater, UniOp Control
- 1 - CAM Model 4872-85 Type SS - Single Station Thermoformer; Serial Number 43842 (1985); Exor UniOp Control, TUC Temperature Controller
- 1 - Lyle Model 260FTP Form & Trim Thermoformer; Serial Number 10418500/043641 (2000); Mold Size 30"/50" x 50" L; Form Size 60" x 50"; Daylight 25 1/8", 4-Section Heater; Material Feed System

DIE CUTTING EQUIPMENT

- 1 - Hudson Model ATM-SE15 16 Ton Clicker Press; Serial Number 21A1012162; Platen 13" x 18"
- 1 - Bruno 300 Ton Press Line; (2) Turret Style Unwinders, Heat Seal Splicer; Ropex-Resistron #RES-440 Controls; (2) Fife Web Guide Systems & Polaris #DP-20 Web Guide; Pinch Roll; Schott & Meissner Cut-Off Saw; Rapid Oven, Width 7' x Length 18', Approx. 500 Degree F Capacity; 300 Ton Bruno Hydraulic Press, Nominal Bed & Platen 72" x 100"; AB PanelView Plus 1000 Terminal; Thermal Care Accuchill Chiller

HYDRAULIC PRESSES

- 1 - 4-Post Downacting Hydraulic Press; Stroke Approx. 20", Daylight Approx. 32"; Nominal Bed Approx. 40" x 49", O/A Bed & Platen 40" x 60", Between Posts 29" x 49"; Floor Mounted Motor & Hydraulic Power Unit
- 1 - Erie 4-Post Down-Acting Hydraulic Press; S/N 7094 (2005); Stroke Approx. 20"; Daylight Approx. 32"; Nominal Bed Approx. 32" x 37", O/A Bed & Platen 32" x 46", Between Posts 24" x 37"; A/B Microview Terminal
- 1 - Hamilton 100 Ton Hydraulic Press; Bed Approx. 44" x 84"

LAMINATION LINE

- 1 - Lamination Press Line; Catbridge Unwinder w/(2) Unwind Stations; Cradle Type 4-Roll Surface Winder; Laminator w/(6) Heated Laminating Rolls; Hamilton 50 Ton Upacting Hydraulic Press, S/N 060187-747904, Rebuild #21922; Bed 60" x 86"; Stroke 21.25", DL Approx. 45"

CNC ROUTER

- 1 - CMS Model NCPLAST46-TUCU 3-Axis CNC Router; Serial Number 2039 (1998); Universal Head; Travels: X-181.10" (4600 mm) / Y-51.96" (1320 mm) / Z-31.50" (800 mm); C Rotation 640 Degrees, B Rotation +/- 135 Degrees; Type CMS/ECS 2401 Control; Vickers Servo; Router Cut Natural Fiber & Poly-Propylene Blend with Fiberglass

INSPECTION / LABORATORY EQUIPMENT

- 1 - Instron Model 3366 Tensile Tester; Serial Number 3366Q8776 (2008); Platform 15 1/4" x 15 1/4"; Two 30kN Jaws, S/N 2716-015; Load Cell #2530-443, S/N 59420; Static Load Cell +/- 500 N, S/N 59730; Dell Tower; Blue Hill Software

- 1 - Instron Model POE2000 Pendulum Impact Tester; Serial Number P2000Q9560 (2008)
- 1 - Dynisco Model D4004 Polymer Tester; Serial Number 201AJH4685
- 1 - PMI Model GP-1100-A Automated Gas Permeator Tester; Serial Number 06112001-1002
- Assorted Granite Surface Plates
- 1 - MacBeth Model The Judge II Color Evaluation System
- 1 - Blue M Model DC-606G Laboratory Oven; Serial Number DC-2740; Temperature Range 316 Degrees C / 600 Degrees F; Chamber 48" F-B x 36" L-R x 60" H; Nine (9) Shelves
- 1 - Envirotech Environmental Test Chamber; Serial Number 15A-043; Chamber 30" F-B x 22" L-R x 36" D; Volts 110 / Ph 1; Hz 60, Amp. 27
- 1 - LEM Fume Hood

PROCESSING EQUIPMENT

- Cross Cut & Slitting Line - Capacity Width 84" x Length 96" x Roll OD 72"; Data Technologies Air Knife; Black Bros. Roller Coater; Serial Number 191659; Thermal Care Accu-Chiller Process Chillers; Nordson Model DuraBlue 10 Hot Melt Units; Data Technologies Cutting Table; Burke E Porter Model CPI-C Cut-Off Saw; Shuttle Table, Traversing Rotary Blade Saw; Spare Feed & Blend Components; Card Line Oven; Rollers, New in 2014

TOOL ROOM EQUIPMENT

- 1 - Polamco Engine Lathe; Serial Number 42657; Swing Approx. 24", Centers 13", Hole Through Spindle Approx. 3 1/2", 3-Jaw Chuck, Steady Rest, Cross Slide, Tail Stock, 15 KW Motor, Speeds 28-1400, Inch & Metric
- 1 - Clausing Engine Lathe; Serial Number 503534; Swing 10", Centers 48", 3-Jaw Chuck, Tailstock
- Bridgeport Vertical Milling Machine; Serial Number BR82725; Table 9" x 42"; Ramco Model RS-90P Horizontal Band Saw; Serial Number 11000; Wells Horizontal Band Saw; Serial Number L7429072; Central Machinery Model WA-14 14" Vertical Band Saw; Tannewitz Model MD36 36" Vertical Band Saw; Serial Number 85063; Tennsmith Model U4816 48" x 16 Gauge Apron Brake; Serial Number 15881; Tennsmith Model T52 52" x 16 Gauge Foot Shear; Serial Number 16681; Rockwell Model 14-RAS Radial Arm Saw; Serial Number FU5575; State Model D-24 24" Disc Sanders; Serial Number 318 & 250; Powermatic Model 66 Table Saw; Serial Number 88661427; CAE Model SDI-5 Shot Blast Machine; Serial Number 71055C679; MBD Model 3700 Block Cutting Vertical Band Saw; Branson Model 900 Ultrasonic Welder; Serial Number NF10054A

ROLLING STOCK

- 1 - AVI Model MDC-DD 50,000 Lb Capacity Electric Die Lift Cart; Serial Number 99411; Overall Platform Size 96" F-B x 72" L-R, Lift 60"; 477 Hours
- 1 - Clark Model TM15S 2,700 Lb Capacity Forklift; Serial Number TM247-2893 7555FB; Electric Type, Three Wheel, Max Lift 188", 3-Stage Mast; 7,600 Hours
- 1 - Caterpillar Model T150D 15,000 Lb Capacity Forklift Truck; Serial Number 5MB00489; LPG Type; 3,200 Hours
- 1 - Caterpillar Model GC40K 8,000 Lb Capacity Forklift; Serial Number AT8701913; LPG Type, Max Lift 183", 3-Stage Mast, Forks 60", Fork Positioner
- 1 - Yale Model GLCO50DENUAE083 5,000 Lb Capacity Forklift; Serial Number N568638; LPG Type, Max Lift 190"

- 1 - Yale Model GLCO40RGNUA0088 4,000 Lb Capacity Forklift; Serial Number E187V09922W; LP Type, Max Lift 252", 3-Stage Mast
- 1 - Toyota Model 7FBEU20 4,000 Lb Capacity Forklift; Electric Type, 3-Stage Mast
- 3 - Caterpillar 5,000 Lb Capacity Forklifts; Electric Type, Max Lift 188", 3-Stage Mast
- 2 - Yale Model ERCO40AGN36TE084 4,000 Lb Capacity Forklifts; Serial Number A814V04300W & A814V04301W; Electric Type, 3-Stage Mast
- 1 - Skyjack Model SJ-6832 Electric Platform Lift; Serial Number 80275 (1994); Platform Size 32" x 68", Platform Extension, Max Height 32', Drive Height 32', Tires 23" x 10.5" x 12" (BT 991003)
- 1 - Genie Model Z-30/20N Aerial Lift; Serial Number 2688 (1999)
- 1 - Sterling Model Acterra 4x2 Box Truck; VIN 2FZACFAL24AM35074 (2004); Van Body 26' Length
- Fork Attachments; Bale Clamp Attachments; Carriage Mounted Carpet Pole Attachment

PLANT UTILITIES


- 1 - Sullair Model VS-16 50AC 50 HP Vacuum System; Serial Number 003-VS5194
- 2 - Sullair Model 7509V/A 100 HP Air Compressors; Serial Number 201203 & 20131260005 (2013); WS Controller
- 2 - Atlas Copco Model GA55 75 HP/GA37 50 HP/GX22 30 HP Air Compressors; Serial Number API512949 (2007); Elektronikon II Control
- 1 - Joy Model 220 30 HP Air Compressor; 125 psig
- 1 - Hankison Model 80300 300 SCFM Air Dryer; Serial Number 0324A-3-8508-058
- 1 - Sullair Model RD-500-460-3-60-A Air Dryer; Serial Number 2313SA00729
- 5 - Hawker Model TC-3-LP-10KW 10 KW High Frequency Smart Battery Chargers; Battery Type L-A; Amp Hours 1500; No Cells 12/18/24
- 1 - Exide Model D3E-12-850 L-A Type / 12-Cell Battery Charger; Serial Number XA4184
- 1 - Hawker Model PH3M-18-775 Type L-A / 18 Cell Battery Charger; Serial Number FL25277
- 1 - TSI 50,000 CFM Capacity Dust Collection System (2008); A/B PanelView Plus 1000 Terminal; 75 HP Blower
- Exterior Dust Collectors

PLANT SUPPORT & MISCELLANEOUS

- Ridgid Pipe Threader; IPM Model Uni-Tension Stretch Wrapper; Vertical Balers 30" x 60" Capacity; Compactors - Galbreath #PF6055 & Sebright #6060xhd-2; Miller Matic 250 & 211 Welders; Lincoln Square Wave 275 Tig Welder; Pallet Racking; Magnetic Base Drills; Ridgid Pipe Threader; Shop Presses; Flammables Storage Cabinets; Hydraulic Bottle Jacks; C-Clamps; Drill Presses; Shop Fans; Banding Carts; Pneumatic Fasteners; Sawz-All; Electric Power Tools; Fiberglass Ladders; Hand Tools

Some items are subject to prior sale

**All office equipment will be liquidated via online auction with
Orbitbid.com on Wednesday, March 30.
Visit Orbitbid.com for more info or call 866-672-4806**



**BID LIVE
OR
ONLINE**

LIVE

AUCTION

TUESDAY, MARCH 29, 2016 • 10 AM ET

CONCEPT INDUSTRIES, INC.

4950 Kraft Avenue SE, Grand Rapids, MI 49512

COMPLETE LIQUIDATION

Online Bidding Available via

BidSpotter.com



MIEDEMA AUCTIONEERING & APPRAISALS, INC.

"Leaders in Innovative Auction Marketing Methods"

601 GORDON INDUSTRIAL CT.
BYRON CENTER, MI 49315



LIVE

AUCTION

MARCH						
S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

PRSRT STD MAIL
U.S. Postage
PAID
Byron Center, MI
Permit No. 19

DATED MATERIAL

IF YOUR MAILING LABEL HAS AN EXPRESS NUMBER, PLEASE BRING THIS BROCHURE WITH YOU FOR EXPRESS CHECK-IN AT AUCTION

COMPLETE LIQUIDATION

CONCEPT INDUSTRIES, INC.

LIVE AUCTION

TUESDAY, MARCH 29, 2016 | 10 AM ET

4950 KRAFT AVENUE SE, GRAND RAPIDS, MI 49512

EQUIPMENT TERMS

INSPECTION:
Monday, March 28 from 9am-5pm and auction day beginning at 8am.

REMOVAL:
Auction Day till 5 pm. For Miscellaneous Items: March 30 & 31, April 1 from 8am- 5pm. For larger items, appointments are available- items must be removed by April 19. Call Chuck Ranney (616) 560-0839.

TERMS:
All items sell "AS IS WHERE IS" with no warranty. There shall be no guarantees or warranties expressed or implied, statutory or otherwise as to the merchantability or fitness for any particular purchase of goods offered in this sale.

BUYER'S PREMIUM:
16% Buyers Premium.

PAYMENT:
Complete payment auction day by cash, personal check, cashier's check, credit card, or wire transfer. Credit card payments will not be taken over \$2,000. Checks will be taken at the discretion of

the auction company. Out of state check must have a bank letter of guarantee. See guarantee form below. For wire instructions, please call Miedema Auctioneering at 800-527-8243

BANK GUARANTEE FORM
(BANK LETTERHEAD)
DATE: _____ Our bank, (banks name), irrevocably will guarantee any checks written to MIEDEMA AUCTIONEERING INC. for the purchase of items at the items at the Concept Industries, Inc. Live Auction in Grand Rapids, MI on Tuesday, March 29, 2016 by (you or your company name) from account number (fill in number) up to the total amount of \$ _____.
Sincerely,
(Bank officer's name and title)

ATTN: AUCTION BUYERS:
If you regularly attend our auctions and want a VIP card for quick registration, call our office today at 1-800-527-8243.

All written material is subject to change. Announcements made auction day take precedence over all written material.

CONCEPT INDUSTRIES, INC.

Online Auction of Office Equipment

Wednesday, March 30 - 8am

Hundreds of lots of office equipment - desks, computers, cubicals, filing cabinets, etc selling via online auction with Orbitbid.com

See Orbitbid.com for more info or call 866-672-4806

